

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

WD252
AI45


67

AGRICULTURAL MARKETING SERVICE
COTTON PROGRAMS, MARKET NEWS BRANCH
3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
Telephone 901-384-3016

USDA
NAT'L AGRIC LIBRARY
200 APR - 3 P 5:55
CURRENT SERIAL RECORDS
ACQ/SERIALS BRANCH

UNITED STATES

COTTON QUALITY REPORT



CLASSINGS THROUGH DECEMBER 29, 1999

VOL. 73, NO. 4

January 4, 2000

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	311	2,209	16,129	59,010	181,515	452,395	751,766	799,202	2,262,537	
	3	111	985	7,336	28,402	79,124	176,317	272,985	253,468	818,728
	4	21	171	1,447	5,923	14,978	26,895	35,562	29,159	114,156
	5	-	11	143	584	1,680	2,480	2,265	1,741	8,904
	6	1	-	4	34	143	195	108	62	547
	7	-	1	1	3	14	18	7	4	48
TOTAL		444	3,377	25,060	93,956	277,454	658,300	1,062,693	1,083,636	3,204,920
31	1-2	37	264	1,896	6,025	20,758	97,620	243,786	336,501	706,887
	3	49	463	3,730	14,356	48,753	162,811	419,172	725,031	1,374,365
	4	23	326	2,613	10,958	31,901	67,926	118,239	181,329	413,315
	5	8	138	1,073	4,957	12,391	19,030	20,498	19,534	77,629
	6	5	33	288	1,180	2,923	3,902	2,907	1,757	12,995
	7	4	9	49	153	411	500	288	152	1,566
TOTAL		126	1,233	9,649	37,629	117,137	351,789	804,890	1,264,304	2,586,757
41	1-2	-	14	46	281	3,335	22,801	51,130	59,418	137,025
	3	2	16	137	1,133	17,108	106,782	331,092	561,233	1,017,503
	4	1	20	184	1,213	9,922	54,267	177,450	358,111	601,168
	5	1	15	227	1,013	3,161	7,030	15,742	32,036	59,225
	6	1	8	129	646	1,320	1,515	1,799	2,121	7,539
	7	1	2	57	188	433	451	468	369	1,969
TOTAL		6	75	780	4,474	35,279	192,846	577,681	1,013,288	1,824,429
51	1-2	-	3	6	33	347	1,507	2,159	1,682	5,737
	3	-	-	35	283	3,251	13,817	26,567	26,078	70,031
	4	-	-	28	320	3,677	15,509	32,704	38,810	91,048
	5	-	-	12	61	819	4,151	10,844	15,274	31,161
	6	-	-	12	20	44	322	994	1,624	3,016
	7	1	-	12	20	20	34	103	154	344
TOTAL		1	3	105	737	8,188	35,340	73,371	83,622	201,337
61	1-2	-	-	-	-	4	30	29	9	72
	3	-	-	1	3	58	211	328	184	785
	4	-	-	3	15	88	280	441	410	1,237
	5	-	-	-	3	51	123	287	391	855
	6	-	-	-	-	10	51	114	190	365
	7	-	-	-	-	4	1	17	30	52
TOTAL		-	-	4	21	215	696	1,216	1,214	3,366
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	6	6	3	15
	4	-	-	-	-	-	3	3	1	7
	5	-	-	-	-	1	1	2	1	5
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	1	1
TOTAL		-	-	-	-	1	10	11	8	30
12 & 22	1-2	72	433	2,020	5,681	14,239	30,235	43,231	40,332	136,243
	3	30	196	1,440	4,286	11,750	23,248	33,617	33,226	107,793
	4	6	47	365	1,291	3,158	5,574	6,945	6,483	23,869
	5	1	10	54	188	409	560	533	533	2,288
	6	1	6	7	12	26	36	30	33	151
	7	-	1	1	-	2	4	-	-	8
TOTAL		110	693	3,887	11,458	29,584	59,657	84,356	80,607	270,352
32	1-2	64	236	643	1,182	2,730	8,365	15,004	16,325	44,549
	3	45	241	1,122	3,245	9,579	28,957	58,618	79,012	180,819
	4	4	111	702	2,272	6,803	15,706	28,385	40,127	94,110
	5	1	31	397	949	2,292	3,773	5,377	6,485	19,305
	6	1	11	71	205	459	592	656	670	2,665
	7	-	3	16	45	49	59	57	55	284
TOTAL		115	633	2,951	7,898	21,912	57,452	108,097	142,674	341,732
42	1-2	12	4	38	150	995	4,138	6,998	7,079	19,414
	3	8	14	187	1,176	10,104	38,944	75,186	91,143	216,762
	4	1	12	165	839	7,854	34,180	77,177	105,547	225,775
	5	-	12	152	301	1,218	4,100	10,046	16,534	32,363
	6	-	3	33	106	248	485	708	1,002	2,585
	7	-	-	9	29	81	109	113	118	459
TOTAL		21	45	584	2,601	20,500	81,956	170,228	221,423	497,358
52	1-2	-	-	11	38	193	538	838	855	2,473
	3	-	-	86	524	3,275	8,560	12,824	13,487	38,756
	4	-	-	67	598	4,381	13,200	21,178	22,161	61,585
	5	-	-	15	108	806	3,234	7,186	8,735	20,084
	6	-	-	1	5	48	255	705	1,143	2,157
	7	-	-	6	7	8	41	71	121	254
TOTAL		-	-	186	1,280	8,711	25,828	42,802	46,502	125,309

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	1	2	6	18	23	50
	3	-	-	2	10	49	206	274	278	819
	4	-	-	3	18	71	337	520	434	1,383
	5	-	-	-	7	29	142	231	285	694
	6	-	-	-	1	6	29	71	116	223
	7	-	-	-	-	-	6	13	33	52
	TOTAL--	-	-	5	37	157	726	1,127	1,169	3,221
13 & 23	1-2	-	5	57	144	539	1,206	2,243	2,332	6,526
	3	1	15	56	158	519	1,053	1,953	2,029	5,784
	4	-	9	38	60	151	235	284	295	1,072
	5	-	2	15	22	30	38	24	21	152
	6	-	-	2	1	-	2	2	3	10
	7	-	-	1	1	-	-	-	-	2
	TOTAL--	-	1	31	169	386	1,239	2,534	4,506	13,546
33	1-2	-	14	23	62	188	547	1,599	2,503	4,936
	3	2	49	110	194	875	2,073	5,159	8,135	16,597
	4	-	15	113	195	663	1,365	2,362	2,949	7,662
	5	-	2	27	58	188	292	339	358	1,264
	6	-	13	5	13	18	60	60	18	187
	7	-	-	-	1	7	7	5	4	24
	TOTAL--	-	2	93	278	523	1,939	4,344	9,524	13,967
43	1-2	-	-	-	4	90	255	459	497	1,305
	3	1	7	20	117	767	2,209	4,229	5,500	12,850
	4	-	2	28	134	795	2,149	3,929	4,932	11,969
	5	-	-	17	55	174	329	560	725	1,860
	6	-	1	8	27	41	54	101	64	296
	7	-	-	1	6	8	39	46	16	116
	TOTAL--	-	1	10	74	343	1,875	5,035	9,324	11,734
53	1-2	-	-	3	9	30	52	84	121	299
	3	-	-	34	108	372	764	1,346	1,557	4,181
	4	-	-	12	92	464	1,201	1,817	2,068	5,654
	5	-	-	5	15	83	279	499	657	1,538
	6	-	-	1	1	6	45	82	80	215
	7	-	-	-	-	6	22	26	13	67
	TOTAL--	-	-	55	225	961	2,363	3,854	4,496	11,954
63	1-2	-	-	-	-	1	2	4	4	11
	3	-	-	1,557	1	7	34	64	44	1,707
	4	-	-	-	1	10	41	63	61	176
	5	-	-	-	-	1	18	43	47	109
	6	-	-	-	-	1	3	13	19	36
	7	-	-	-	-	-	4	2	2	8
	TOTAL--	-	-	2	2	20	102	189	177	492
24-54	1-7	2	7	85	211	734	2,020	4,819	7,074	14,952
25-35	1-7	-	-	-	-	-	-	8	6	14
81-85 1/	1-7	-	-	2	7	56	143	343	539	1,090
	8 2/	-	8	39	108	235	321	305	260	1,276
TOTAL ALL--		829	6,208	43,915	161,896	526,167	1,481,462	2,959,344	3,981,380	9,161,201

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	686,434	591,843	397,551	49,942	6,541	125	1,732,436	3,994,973
	4	187,878	167,684	163,365	36,538	6,644	220	562,329	1,381,057
	5	17,123	12,568	10,741	2,749	634	15	43,830	157,986
	6	916	516	287	57	18	-	1,794	10,698
	7	29	18	10	3	-	-	60	607
		1	2	-	-	-	-	3	51
TOTAL		892,381	772,631	571,954	89,289	13,837	360	2,340,452	5,545,372
31	1-2	231,669	97,070	37,595	3,514	279	12	370,139	1,077,026
	3	648,141	260,515	79,525	9,755	1,155	23	999,114	2,373,479
	4	201,095	111,622	35,810	4,751	726	10	354,014	767,329
	5	17,807	12,146	4,522	789	136	1	35,401	113,030
	6	1,072	572	242	64	23	-	1,973	14,968
	7	74	66	24	1	-	-	165	1,731
TOTAL		1,099,858	481,991	157,718	18,874	2,319	46	1,760,806	4,347,563
41	1-2	31,284	7,172	1,059	82	5	-	39,602	176,627
	3	445,572	138,324	19,700	554	48	-	604,198	1,621,701
	4	378,657	176,104	37,417	1,560	103	6	593,847	1,195,015
	5	44,910	31,242	9,556	623	75	11	86,417	145,642
	6	2,768	2,160	844	79	12	25	5,888	13,427
	7	322	258	132	10	3	7	732	2,701
TOTAL		903,513	355,260	68,708	2,908	246	49	1,330,684	3,155,113
51	1-2	632	83	27	2	-	-	744	6,481
	3	12,110	2,513	334	13	-	-	14,970	85,001
	4	23,077	6,809	1,106	51	227	1,013	32,283	123,331
	5	11,890	4,286	1,014	54	21	11	17,276	48,437
	6	1,492	610	184	43	31	10	2,370	5,386
	7	179	85	21	7	1	5	298	642
TOTAL		49,380	14,386	2,686	170	57	27	66,706	268,043
61	1-2	1	-	-	-	-	-	1	73
	3	57	12	2	-	-	-	71	856
	4	151	38	3	-	-	-	192	1,429
	5	246	42	8	-	-	-	296	1,151
	6	126	34	4	2	-	-	166	531
	7	30	9	-	-	-	-	39	91
TOTAL		611	135	17	2	-	-	765	4,131
71	1-2	-	-	-	-	-	-	-	-
	3	1	-	1	-	-	-	2	17
	4	3	-	-	-	-	-	3	10
	5	-	-	-	-	-	-	-	5
	6	-	-	-	-	-	-	-	2
	7	-	-	-	-	-	-	-	1
TOTAL		4	-	1	-	-	-	5	35
12 & 22	1-2	23,727	8,899	2,707	235	65	44	35,677	171,920
	3	19,762	7,553	2,078	146	28	22	29,589	137,382
	4	3,603	1,431	463	42	7	-	5,546	29,415
	5	383	94	34	1	-	-	512	2,800
	6	16	7	2	3	-	-	28	179
	7	1	-	-	-	-	-	1	9
TOTAL		47,492	17,984	5,284	427	100	66	71,353	341,705
32	1-2	9,651	3,017	642	58	7	11	13,386	57,935
	3	58,353	21,791	4,275	227	41	43	84,730	265,549
	4	34,113	15,838	4,034	275	27	8	54,295	148,405
	5	5,198	2,461	751	77	15	1	8,503	27,808
	6	443	141	46	6	-	1	637	3,302
	7	55	29	9	-	1	-	94	378
TOTAL		107,813	43,277	9,757	643	91	64	161,645	503,377
42	1-2	3,370	837	145	11	1	-	4,364	23,778
	3	59,381	18,361	2,565	75	-	-	80,382	297,144
	4	85,711	36,541	6,803	182	9	-	129,246	355,021
	5	16,200	9,292	2,495	86	5	-	28,078	60,441
	6	1,163	673	227	13	2	1	2,079	4,664
	7	105	99	44	-	1	1	250	709
TOTAL		165,930	65,803	12,279	367	18	2	244,399	741,757
52	1-2	246	58	20	1	-	-	325	2,798
	3	6,002	1,218	168	4	1	-	7,393	46,149
	4	12,245	3,286	510	19	2	-	16,062	77,647
	5	6,238	2,198	473	14	1	-	8,924	29,008
	6	1,041	422	85	-	7	-	1,555	3,712
	7	137	39	11	-	-	-	187	441
TOTAL		25,909	7,221	1,267	38	11	-	34,446	159,755

Table 1. -- United States: Continued.

QUALITY	COLOR	LEAF	STAPLE								TOTAL
			35	36	37	38	39	40 &+	35 to 40+	Bales	
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	7	57
		4	2	1	-	-	-	-	-	115	934
		3	27	8	-	1	-	-	-	223	1,606
		4	30	5	-	-	-	-	-	268	962
		5	59	2	-	-	-	-	-	121	344
		6	19	1	-	-	-	-	-	16	68
		7	1	-	-	-	-	-	-	-	-
TOTAL--			594	138	17	-	1	-	750	3,971	
13 & 23	1-2	1,216	356	125	4	1	1	1	1,703	8,229	
		1,024	360	149	10	-	-	-	1,543	7,327	
		139	50	22	1	3	-	-	215	1,287	
		10	2	1	-	1	-	-	14	166	
		-	-	-	-	-	-	-	-	10	
		-	-	-	-	-	-	-	-	2	
	TOTAL--		2,389	768	297	15	5	1	3,475	17,021	
33	1-2	1,583	475	122	7	1	-	-	2,188	7,124	
		5,758	2,297	585	50	6	2	8,698	25,295		
		2,173	987	298	36	3	-	3,497	11,159		
		225	96	31	11	-	-	363	1,627		
		22	6	3	-1	-	-	32	219		
		5	-	-	-	-	-	5	29		
	TOTAL--		9,766	3,861	1,039	105	10	2	14,783	45,453	
43	1-2	271	65	20	3	-	-	359	1,664		
		3,464	1,064	162	11	-	-	4,701	17,551		
		3,712	1,402	349	20	5	-	5,488	17,457		
		542	227	87	14	7	2	879	2,739		
		52	22	9	3	1	-	87	383		
		8	4	4	1	-	-	17	133		
	TOTAL--		8,049	2,784	631	52	13	2	11,531	39,927	
53	1-2	39	9	2	-	-	-	50	349		
		676	141	20	1	1	-	839	5,020		
		1,207	290	50	1	-	-	1,548	7,202		
		443	155	40	2	-	-	640	2,178		
		64	18	4	1	-	-	87	302		
		10	10	-	-	-	-	20	87		
	TOTAL--		2,439	623	116	5	1	-	3,184	15,138	
63	1-2	1	-	-	-	-	-	1	12		
		13	7	3	-	-	-	23	1,730		
		32	7	1	-	-	-	40	216		
		30	5	1	-	-	-	36	145		
		6	2	-	-	-	-	8	44		
		3	-	-	-	-	-	3	11		
	TOTAL--		85	21	5	-	-	-	111	603	
24-54	1-7	4,046	1,271	419	60	13	1	5,810	20,762		
25-35	1-7	6	4	-	-	-	-	10	24		
81-85 1/	1-7	225	83	37	2	-	1	348	1,438		
	8 2/	252	204	118	17	4	46	641	1,917		
TOTAL, ALL-----		3,320,742	1,768,445	832,350	112,974	16,726	667	6,051,904	15,213,105		
EXTRANEOUS MATTER											

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	*	*	0.1	0.4	1.2	3.0	4.9	5.3	4.5	3.9	2.6	0.3	*	*	26.3	
	3	*	*	*	0.2	0.5	1.2	1.8	1.7	1.2	1.1	1.1	0.2	*	*	9.1	
	4	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	*	*	*	1.0	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	*	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	*	*	
	TOTAL	-	-	*	0.2	0.6	1.8	4.3	7.0	7.1	5.9	5.1	3.8	0.6	0.1	*	36.5
31	1-2	*	*	*	*	0.1	0.6	1.6	2.2	1.5	0.6	0.2	*	*	*	7.1	
	3	*	*	*	0.1	0.3	1.1	2.8	4.8	4.3	1.7	0.5	0.1	*	*	15.6	
	4	*	*	*	0.1	0.2	0.4	0.8	1.2	1.3	0.7	0.2	*	*	*	5.0	
	5	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7	
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	*	0.1	0.2	0.8	2.3	5.3	8.3	7.2	3.2	1.0	0.1	*	*	28.6
41	1-2	-	*	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	*	-	1.2
	3	*	*	*	*	*	0.1	0.7	2.2	3.7	2.9	0.9	0.1	*	*	-	10.7
	4	*	*	*	*	*	0.1	0.4	1.2	2.4	2.5	1.2	0.2	*	*	*	7.9
	5	*	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	0.2	1.3	3.8	6.7	5.9	2.3	0.5	*	*	*	20.7
51	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6	
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8	
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	0.2	0.5	0.5	0.3	0.1	*	*	*	*	1.8
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.1
	3	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9	
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	0.1	*	*	*	2.2
32	1-2	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	*	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	*	*	1.7
	4	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.4	0.7	0.9	0.7	0.3	0.1	*	*	3.3
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.1	0.3	0.5	0.6	0.4	0.1	*	*	*	*	2.0
	4	*	*	*	*	*	*	0.2	0.5	0.7	0.6	0.2	*	*	*	*	2.3
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.5	1.1	1.5	1.1	0.4	0.1	*	*	4.9
52	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	*	1.1

* Less than 0.05 percent.

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	*	*	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	0.3	1.1	3.5	9.7	19.5	26.2	21.8	11.6	5.5	0.7	0.1	*	100.0	
EXTRANEous MATTER																Average Staple Percent Tenderable	34.1 61.6
Bark - Level 1																1.9	
Bark - Level 2																*	
Grass - Level 1																0.8	
Grass - Level 2																*	
Prep - Level 1																*	
Prep - Level 2																*	
Other - Level 1																0.1	
Other - Level 1																*	

15,213,105 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.4	1.7	2.3	1.5	0.5	0.1	-	-	*	-	6.6
	3	-	-	-	-	0.2	0.8	1.4	1.3	0.7	0.2	-	-	*	-	4.5
	4	-	-	-	-	*	0.1	0.1	0.1	0.1	-	-	-	-	-	0.4
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	0.6	2.5	3.8	2.9	1.3	0.3	-	-	-	-	11.6
31	1-2	-	-	*	*	0.3	1.3	1.8	1.5	0.7	0.1	-	-	*	-	5.6
	3	-	-	*	*	0.7	3.6	6.4	5.9	3.3	0.8	0.1	*	*	-	20.8
	4	-	-	*	*	0.2	1.0	1.8	1.9	1.1	0.4	*	*	*	-	6.4
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	0.1	1.1	6.0	10.1	9.5	5.3	1.3	0.1	*	*	33.4
41	1-2	-	-	*	*	0.2	0.7	1.0	0.7	0.2	*	*	*	*	-	2.8
	3	-	-	*	*	0.8	3.5	6.1	5.5	2.4	0.4	*	*	*	-	18.7
	4	-	-	*	*	0.4	1.9	3.7	3.9	2.3	0.6	*	*	*	-	12.8
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	1.3	6.2	11.0	10.3	5.1	1.1	0.1	*	*	-	35.2
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	*	-	1.5
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	0.2	0.2	0.1	*	*	*	*	-	0.5
	3	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	*	-	0.8
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.4	0.6	0.3	0.1	*	*	-	1.5
32	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	*	*	*	*	0.2	0.7	1.1	0.7	0.2	*	*	-	2.9
	4	-	-	*	*	*	*	0.1	0.5	0.8	0.6	0.2	*	*	-	2.3
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	0.3	1.4	2.1	1.6	0.6	0.1	*	*	6.2
42	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	3	-	-	*	*	*	*	0.3	1.1	1.3	0.9	0.3	*	*	-	4.0
	4	-	-	*	*	*	*	0.3	1.0	1.5	1.2	0.5	0.1	*	*	4.5
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	0.6	2.3	3.0	2.3	0.9	0.2	*	*	9.3
52	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.4
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	-	0.7

* Less than 0.05 percent.

Table 3. -- Alabama: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.3
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	-	0.2	4.4	19.5	31.6	27.6	13.4	3.0	0.3	*	*	*	100.0
EXTRANEous MATTER															Average Staple	33.4
Bark - Level 1		2.3													Percent Tenderable	54.8
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

611,231 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1-2	-	-	-	*	-	0.3	2.3	11.0	24.6	22.4	9.8	0.9	0.1	-	71.6
	3	-	-	-	-	-	-	-	0.3	0.6	0.8	0.4	-	-	*	2.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	TOTAL	-	-	-	-	-	0.3	2.4	11.3	25.2	23.2	10.3	1.0	0.1	*	73.8
31	1-2	-	-	-	-	-	0.1	0.8	3.2	5.7	4.6	1.9	0.2	-	-	16.6
	3	-	-	-	-	-	-	0.2	0.5	0.9	1.0	0.5	-	-	*	3.1
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	-	*	0.7
	5	-	-	-	-	-	-	*	-	-	-	-	-	*	*	0.1
	6	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	0.1	1.0	3.9	6.8	5.7	2.6	0.2	*	*	20.5
41	1-2	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	0.1	0.3	0.2	0.1	*	*	*	*	*	0.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	*	*	0.2	0.5	0.8	0.6	0.3	*	*	2.4
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	0.2	0.6	1.0	0.8	0.3	*	*	3.0
32	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	0.2	0.4	0.4	0.3	0.1	*	*	1.5
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.2
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- Arizona: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	-	-	0.1	0.6	4.0	16.6	33.8	30.2	13.4	1.3	0.1	*	100.0	
EXTRANEous MATTER																	
Bark - Level 1		1.3														Average Staple	35.3
Bark - Level 2		*														Percent Tenderable	52.8
Grass - Level 1		0.4															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.3															
Other - Level 1		*															

540,713 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.4	1.5	3.6	4.7	2.2	0.3	-	-	-	12.6
	3	-	-	-	-	-	0.2	0.6	1.8	3.1	1.9	0.3	-	-	-	8.0
	4	-	-	-	-	-	*	*	0.1	0.3	0.3	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	0.1	0.6	2.2	5.4	8.1	4.4	0.6	*	*	21.5
31	1-2	-	-	-	-	-	0.2	0.8	2.5	2.5	0.8	0.1	*	-	-	6.9
	3	-	-	-	-	-	0.4	1.6	5.8	9.1	4.1	0.6	*	-	-	21.7
	4	-	-	-	-	-	0.1	0.4	1.7	3.7	2.4	0.4	*	*	-	8.8
	5	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	-	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	0.1	0.7	2.9	10.1	15.8	7.7	1.1	*	*	38.5
41	1-2	-	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	-	-	1.1
	3	-	-	-	-	-	*	*	0.1	0.5	2.5	4.3	1.8	0.2	*	9.5
	4	-	-	-	-	-	*	*	0.1	0.4	1.9	4.6	2.8	0.5	*	10.3
	5	-	-	-	-	-	*	*	0.1	0.3	0.9	0.7	0.2	*	-	2.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	0.2	1.0	5.2	10.2	5.6	0.9	*	23.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	0.2	0.5	0.6	0.3	*	*	-	1.6
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.2	*	*	1.4
32	1-2	-	-	-	-	-	*	*	0.1	0.2	0.6	0.8	0.1	*	*	0.5
	3	-	-	-	-	-	*	*	0.1	0.3	0.6	0.8	0.4	0.1	*	2.3
	4	-	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	1.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	0.2	0.5	1.1	1.4	0.8	0.1	*	4.3
42	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	*	*	0.1	0.3	0.7	1.0	0.4	0.1	*	2.5
	4	-	-	-	-	-	*	*	*	0.2	0.7	1.4	1.0	0.2	*	3.5
	5	-	-	-	-	-	*	*	*	*	0.2	0.3	0.3	0.1	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	0.1	0.5	1.7	2.8	1.7	0.3	*	7.2
52	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	1.5

* Less than 0.05 percent.

Table 5. -- Arkansas: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	-	-	0.2	1.9	7.9	25.3	40.4	21.1	3.2	0.1	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	34.8 61.9
Bark - Level 1		0.4															
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

1,382,985 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE													
		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.3	3.3	11.3	22.7	21.2	2.8	0.4	-	62.1
	3	-	-	-	-	-	0.4	2.0	6.3	9.5	2.3	0.4	-	-	20.9
	4	-	-	-	-	-	-	0.1	0.3	0.5	0.2	-	-	-	1.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	0.3	3.7	13.3	29.3	31.2	5.3	0.8	-	84.1
31	1-2	-	-	-	-	-	0.1	0.6	1.2	1.7	1.4	0.2	-	-	5.2
	3	-	-	-	-	-	-	0.3	0.9	2.2	2.7	0.5	0.1	-	6.7
	4	-	-	-	-	-	-	0.1	0.2	0.6	0.7	0.2	-	-	1.9
	5	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	0.2	0.9	2.4	4.6	4.9	0.9	0.1	-	14.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	0.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.3
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

Table 6. -- California: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL						0.1	0.6	4.9	16.3	34.5	36.5	6.3	1.0			100.0
EXTRANEous MATTER															Average Staple	36.2
Bark - Level 1															Percent Tenderable	90.9
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

1,493,532 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.1	0.3	0.3	0.2	0.1	-	-	-	-	-	1.1
	3	-	-	-	-	0.1	0.3	0.2	0.1	-	*	-	-	-	-	0.7
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	0.1	0.4	0.6	0.4	0.2	0.1	-	-	-	-	1.8
31	1-2	-	-	-	-	0.1	0.7	1.0	1.3	1.1	0.2	-	-	-	-	4.5
	3	-	-	-	-	0.2	1.4	3.7	6.0	7.2	2.0	0.1	-	-	-	20.5
	4	-	-	-	-	*	0.2	0.7	1.4	2.4	1.1	0.1	*	-	-	6.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	0.3	2.2	5.4	8.9	10.7	3.3	0.3	-	-	-	31.1
41	1-2	-	-	-	-	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.2
	3	-	-	-	-	0.1	1.1	4.1	8.5	8.0	2.3	0.2	-	-	-	24.4
	4	-	-	-	-	*	0.5	2.6	6.8	7.4	3.0	0.4	*	-	-	20.8
	5	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	-	-	-	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	0.2	1.8	7.5	16.6	16.4	5.6	0.6	*	-	-	48.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	0.4
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	*	-	1.0
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	0.2	0.5	0.6	0.3	-	-	-	-	-	-	1.8
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	*	*	0.1
	3	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	*	*	1.6
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	0.2	0.6	0.8	0.6	0.2	*	*	*	2.5
42	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	0.4	1.0	1.5	0.9	0.2	*	*	*	4.1
	4	-	-	-	-	*	*	0.4	1.7	2.9	1.8	0.4	0.1	*	*	7.2
	5	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	0.1	0.8	2.9	4.8	2.9	0.8	0.1	*	12.4
52	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	*	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	1.4

* Less than 0.05 percent.

Table 7. -- Florida: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	5	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL						0.8	5.9	18.0	32.6	31.4	10.1	1.0	+	+	+	100.0	
EXTRANEOUS MATTER																Average Staple	34.2
Bark - Level 1		2.6														Percent Tenderable	57.6
Bark - Level 2		-															
Grass - Level 1		0.4															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

104,794 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE													TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
	3	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	0.8
31	1-2	-	-	-	-	-	0.1	0.2	0.5	1.0	0.8	0.2	-	-	2.8
	3	-	-	-	-	-	0.3	1.0	2.6	5.7	5.5	1.4	0.1	-	16.6
	4	-	-	-	-	-	0.2	0.5	1.1	1.1	0.4	-	-	-	3.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.4	1.4	3.6	7.8	7.5	2.0	0.2	-	22.9
41	1-2	-	-	-	-	-	-	0.2	0.5	0.6	0.2	-	-	-	1.6
	3	-	-	-	-	-	0.5	2.5	7.2	10.3	6.1	1.3	0.1	-	28.0
	4	-	-	-	-	-	0.2	1.4	4.6	7.4	5.3	1.4	0.2	-	20.6
	5	-	-	-	-	-	0.1	0.2	0.3	0.3	0.1	-	-	-	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.7	4.2	12.5	18.6	11.9	2.9	0.3	-	51.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.4	0.6	0.5	0.2	-	-	-	1.9
	4	-	-	-	-	-	0.2	0.6	1.0	0.9	0.5	0.1	-	-	3.2
	5	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.3	1.1	1.8	1.6	0.7	0.2	-	-	5.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.2	0.2	0.2	0.2	-	-	-	1.0
	4	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.1	0.3	0.4	0.4	0.3	0.1	-	-	1.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.4	1.0	1.6	1.4	0.6	0.1	-	-	5.2
	4	-	-	-	-	-	0.3	1.0	2.1	2.2	1.1	0.3	-	-	7.0
	5	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.1	0.7	2.2	3.9	3.8	1.8	0.4	-	13.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	0.2	0.3	0.3	0.2	0.1	-	-	-	1.0
	4	-	-	-	-	-	0.2	0.5	0.7	0.5	0.2	-	-	-	2.1
	5	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	0.1	0.4	0.9	1.1	0.8	0.3	-	-	3.7

* Less than 0.05 percent.

Table 8. -- Georgia: Continued.

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	35	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54 25-35 81-85 1/ 8 2/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL					0.3	2.9	10.5	23.8	33.4	22.8	5.6	0.6	-	-	-	100.0
EXTRANEOUS MATTER															Average Staple	33.8
Bark - Level 1															Percent Tenderable	57.4
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

1,473,886 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.9	1.9	1.5	0.5	0.1	-	-	-	-	4.9
	3	-	-	-	*	*	0.2	0.3	0.2	*	*	*	*	*	-	0.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.9	2.1	1.8	0.6	0.1	*	*	*	*	5.6
31	1-2	-	-	*	0.1	2.5	6.0	6.1	2.6	0.5	0.1	*	*	*	-	17.8
	3	-	-	-	*	1.6	6.6	11.1	7.2	2.2	0.5	*	*	*	-	29.2
	4	-	-	-	*	0.1	0.6	1.6	1.8	0.9	0.3	*	*	*	-	5.3
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	0.1	4.2	13.3	18.9	11.6	3.5	0.8	0.1	*	*	*	52.5
41	1-2	-	-	*	0.4	0.9	0.8	0.2	*	*	*	*	*	*	-	2.4
	3	-	-	*	*	1.0	3.8	6.0	3.6	1.0	0.2	*	*	*	-	15.6
	4	-	-	*	*	0.2	1.3	3.5	3.5	1.8	0.5	0.1	*	*	*	10.9
	5	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	-	1.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	0.1	1.6	6.1	10.6	7.7	3.1	0.8	0.1	*	*	*	30.1
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	4	-	-	*	*	*	0.1	0.2	0.2	*	*	*	*	*	-	0.6
	5	-	-	*	*	*	*	0.2	0.1	*	*	*	*	*	-	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	*	*	*	-	1.4
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	*	0.2	0.3	0.2	*	*	*	*	*	*	*	-	0.8
	3	-	-	*	0.4	0.8	0.7	0.3	0.1	*	*	*	*	*	-	2.3
	4	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	-	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	0.7	1.3	1.1	0.6	0.2	*	*	*	*	*	-	4.0
42	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.3
	3	-	-	*	*	*	0.4	0.8	0.7	0.3	*	*	*	*	-	2.2
	4	-	-	*	*	*	0.2	0.5	0.8	0.5	0.2	*	*	*	-	2.2
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	0.1	0.7	1.5	1.7	0.9	0.3	0.1	*	*	*	-	5.2
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6

* Less than 0.05 percent.

Table 9. -- Louisiana: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 &	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54 25-35 81-85 1/ 8 2/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL, ALL	-	-	-	-	-	-	-	0.4	6.4	24.8	35.0	22.1	7.4	1.8	0.2
EXTRANEous MATTER																Average Staple 34.0 Percent Tenderable 62.8
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		1.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

918,529 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.4	1.7	3.1	1.7	0.4	*	*	-	-	7.2
	3	-	-	-	*	*	0.1	0.3	0.7	0.6	0.2	*	*	-	-	1.9
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	0.5	2.0	3.8	2.4	0.6	*	*	*	*	9.2
31	1-2	-	-	*	*	0.1	1.2	4.5	6.1	2.9	0.6	*	*	-	-	15.3
	3	-	-	*	*	*	1.0	5.2	9.9	6.9	2.1	0.3	*	*	-	25.5
	4	-	-	*	*	*	0.1	0.8	2.2	2.3	1.0	0.2	*	*	-	6.7
	5	-	-	*	*	*	*	*	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	0.1	2.3	10.5	18.4	12.3	3.9	0.6	*	*	*	48.1
41	1-2	-	-	*	*	*	0.3	0.8	0.9	0.5	0.1	*	*	*	*	2.6
	3	-	-	*	*	*	0.8	2.9	4.5	3.7	1.2	0.2	*	*	*	13.3
	4	-	-	*	*	*	0.3	1.4	3.2	3.6	1.8	0.4	*	*	*	10.8
	5	-	-	*	*	*	*	0.2	0.5	0.7	0.5	0.1	*	*	*	1.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.1	1.4	5.3	9.2	8.5	3.6	0.7	*	*	*	28.7
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	4	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	0.9
	5	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.2	0.6	0.7	0.4	0.1	*	*	*	*	*	2.2
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
32	1-2	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	3	-	-	*	*	*	0.2	0.7	0.9	0.6	0.2	*	*	*	*	2.8
	4	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	*	*	*	*	1.4
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	0.4	1.2	1.6	1.2	0.5	0.1	*	*	*	5.0
42	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	*	*	0.2	0.6	0.6	0.5	0.2	*	*	2.1
	4	-	-	*	*	*	*	*	0.2	0.5	0.7	0.6	0.3	*	*	2.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	0.5	1.3	1.6	1.3	0.5	0.1	*	*	*	5.3
52	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*	1.0

* Less than 0.05 percent.

Table 10. -- Mississippi: Continued.

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	27	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	TOTAL	0.1															0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	0.1															0.1
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	0.1															0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	0.1															0.1
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	0.1															0.1
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	0.1															0.1
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
EXTRANEous MATTER		0.3	5.4	21.2	35.7	28.5	9.3	1.5	-	-	-	-	-	-	-	-	100.0
Bark - Level 1		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 2		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,679,443 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.																	Average Staple 34.2 Percent Tenderable 71.5

Table 11. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.6	4.7	9.0	10.1	6.1	1.5	*	*	-	33.4
	3	-	-	-	-	0.4	1.2	2.6	4.0	3.5	1.4	*	*	-	-	13.2
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL					0.3	2.1	5.9	11.8	14.4	9.9	3.2	0.1	*	*	47.7
31	1-2	-	-	-	-	0.4	1.3	2.3	2.4	1.2	0.3	*	*	-	-	8.0
	3	-	-	-	-	0.1	0.6	1.6	3.5	4.9	3.6	1.2	*	*	-	15.5
	4	-	-	-	-	*	0.1	0.2	0.7	1.6	1.8	0.8	*	*	-	5.3
	5	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL					0.1	1.1	3.2	6.6	9.0	6.9	2.4	0.1	*	*	29.3
41	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.4	0.7	0.5	0.2	*	*	2.0
	4	-	-	-	-	*	*	*	0.1	0.4	1.1	1.4	0.6	*	*	3.6
	5	-	-	-	-	*	*	*	0.1	0.5	0.8	0.3	*	*	-	1.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL					0.1	0.3	1.1	2.4	2.8	1.1	0.1	*	*	*	7.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	0.1	0.4	0.5	0.4	0.2	*	*	*	*	1.6
	3	-	-	-	-	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	*	1.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	0.3	0.6	0.9	0.7	0.4	0.1	*	*	*	3.1
32	1-2	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	*	*	0.7
	3	-	-	-	-	*	0.1	0.4	0.7	0.8	0.5	0.1	*	*	*	2.7
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	0.2	0.6	1.1	1.3	0.9	0.3	*	*	4.6
42	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.2	0.4	0.5	0.3	0.1	*	*	1.5
	4	-	-	-	-	*	*	*	0.1	0.4	0.8	0.7	0.3	*	*	2.3
	5	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	*	0.3	1.0	1.7	1.2	0.5	*	*	4.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL					*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6

* Less than 0.05 percent.

Table 11. -- Missouri: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	*	*	*	*	0.1	0.2	0.1	*	-	-	-	0.6	
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	-	-	-	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	0.1	0.2	0.2	*	-	-	-	0.9	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	0.4	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
24-54	1-7	-	-	-	*	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
81-85 1/2	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
TOTAL, ALL	8 2/	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
EXTRANEous MATTER		-	-	-	-	-	-	-	0.5	3.8	11.3	23.3	30.4	22.6	7.7	0.3	100.0
Bark - Level 1		0.1														Average Staple	34.8
Bark - Level 2		-														Percent Tenderable	62.9
Grass - Level 1		0.5															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

450,080 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. – New Mexico: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	0.3	2.3	5.4	11.2	15.9	16.2	12.6	3.2	0.5	-	67.6	
	3	-	-	-	-	0.1	0.1	0.3	0.9	2.6	7.2	2.6	0.5	-	-	14.2	
	4	-	-	-	-	-	-	*	0.1	0.4	1.5	0.5	0.1	*	-	2.7	
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	0.3	2.4	5.5	11.5	16.9	19.2	21.5	6.4	1.1	-	84.6	
31	1-2	-	-	-	-	0.1	0.1	0.4	0.7	1.0	0.9	0.3	*	-	-	3.4	
	3	-	-	-	-	*	*	*	0.1	0.3	1.0	2.4	0.7	0.1	*	4.8	
	4	-	-	-	-	*	*	*	0.2	0.7	2.2	0.8	0.2	*	-	4.2	
	5	-	-	-	-	*	*	*	*	0.1	0.4	0.2	0.1	-	-	0.9	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	TOTAL	-	-	-	-	*	0.1	0.2	0.5	1.3	2.8	5.9	2.1	0.5	*	13.3	
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	0.1	0.1	0.1	0.2	0.2	0.1	*	-	-	-	0.9	
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	0.1	0.1	0.2	0.2	0.2	0.3	0.1	*	*	-	1.2	
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

Table 12. -- New Mexico: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	-	*	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54 25-35 81-85 1/ 8 2/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL, ALL	-	-	-	-	0.3	2.6	5.9	12.2	16.4	22.4	27.9	8.7	1.6	-	100.0
EXTRANEOUS MATTER																Average Staple 35.8 Percent Tenderable 74.7
Bark - Level 1 0.3																
Bark - Level 2 -																
Grass - Level 1 0.4																
Grass - Level 2 -																
Prep - Level 1 -																
Prep - Level 2 -																
Other - Level 1 -																
Other - Level 1 -																

50,707 Bales classed 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 13. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.1	-	-	-	-	-	0.9
	3	-	-	*	*	0.3	1.7	6.4	8.4	3.2	0.5	-	-	-	-	20.4
	4	-	-	*	*	0.1	0.4	1.3	2.1	1.2	0.3	-	-	-	-	5.3
	5	-	-	*	*	*	*	*	*	0.1	-	-	-	-	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	*	*	0.1	0.4	2.1	8.0	10.9	4.5	0.8	-	-	-	26.8
41	1-2	-	-	-	*	*	0.2	0.4	0.2	0.1	-	-	-	-	-	0.9
	3	-	-	*	*	0.1	0.7	3.8	12.0	13.2	4.6	0.7	-	-	-	35.0
	4	-	-	*	*	0.3	1.6	5.8	8.4	4.4	1.2	-	-	-	-	21.7
	5	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	-	-	-	-	1.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	*	*	0.2	1.0	5.6	18.5	22.3	9.5	2.0	-	-	-	59.0
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	*	*	1.4
	4	-	-	*	*	0.1	0.2	0.5	0.4	0.2	*	*	*	*	*	1.5
	5	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.2	0.6	1.2	1.0	0.4	0.1	*	*	*	*	3.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.1
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	1.0
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.1	0.2	0.4	0.6	0.6	0.2	*	*	*	*	2.1
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	0.1	0.2	0.5	1.1	0.8	0.2	*	*	*	*	2.9
	4	-	-	*	*	0.2	0.5	1.1	1.2	0.4	0.1	*	*	*	*	3.5
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.1	0.4	1.1	2.3	2.1	0.7	0.1	*	*	*	6.9
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1

* Less than 0.05 percent.

Table 13. -- North Carolina: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
53	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
EXTRANEous MATTER																Average Staple 34.6 Percent Tenderable 76.0
Bark - Level 1	1.6															
Bark - Level 2	-															
Grass - Level 1	2.0															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

773,654 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	30.0
	1-2	*	0.1	0.3	0.7	1.1	2.0	3.9	8.5	9.0	3.7	0.7	*	*	*	*	5.7
	3	*	*	0.1	0.3	0.5	0.7	1.1	1.4	1.0	0.4	0.1	*	*	*	*	0.8
	4	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	0.1	0.5	1.0	1.8	2.9	5.2	10.1	10.1	4.1	0.8	*	*	*	36.6
31	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	22.9
	1-2	*	0.1	0.4	0.6	0.9	2.1	3.8	6.2	6.1	2.4	0.4	*	*	*	*	12.2
	3	*	0.1	0.5	0.8	1.2	1.8	2.4	2.7	1.8	0.8	0.2	*	*	*	*	6.2
	4	*	*	*	0.2	0.6	1.0	1.3	1.2	1.1	0.6	0.2	*	*	*	*	2.6
	5	*	*	*	0.1	0.3	0.5	0.6	0.5	0.4	0.2	*	*	*	*	*	0.6
	6	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL	*	*	0.2	1.2	2.3	3.8	5.8	8.0	10.5	8.7	3.3	0.6	*	*	*	44.6
41	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	0.6
	1-2	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	1.2
	4	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	1.7
	5	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	*	*	*	*	1.2
	6	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	0.1	*	*	*	*	*	0.5
	7	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.1
	TOTAL	*	*	0.2	0.5	0.9	1.3	1.1	0.9	0.6	0.2	*	*	*	*	*	5.9
51	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
61	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	1.5
	1-2	*	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	*	*	*	1.5
	3	*	*	0.1	0.1	0.3	0.3	0.3	0.2	0.2	*	*	*	*	*	*	1.5
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	0.1	0.3	0.4	0.6	0.6	0.5	0.4	0.3	0.1	*	*	*	*	3.4
32	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	1.3
	1-2	*	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	*	2.4
	3	*	0.1	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.1	*	*	*	*	*	1.5
	4	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.1	*	*	*	*	*	*	0.7
	5	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	0.1	0.3	0.6	0.7	0.9	1.1	0.9	0.9	0.5	0.1	*	*	*	6.2
42	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	0.2
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.4
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.6
	4	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	0.2	0.3	0.4	0.3	0.3	0.3	0.1	0.1	*	*	*	*	2.0
52	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 14. -- Oklahoma: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	-	*	*	*	-	-	-	-	-	-	-	*	*
	6	-	*	-	*	*	*	-	-	-	-	-	-	-	*	*
	7	-	*	-	*	*	*	-	-	-	-	-	-	-	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	-	-	-	-	-	-	*	*
	7	-	*	*	*	*	*	-	-	-	-	-	-	-	*	*
	TOTAL	-	*	0.1	*	0.1	*	0.1	*	*	*	*	*	*	*	0.4
43	1-2	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	-	-	*	*	*	*	*	*
	TOTAL	-	*	*	*	0.1	*	0.1	*	0.1	*	*	*	*	*	0.4
53	1-2	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	-	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	-	*	*	*	*	*	*	*	*	*	*
	5	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	-	*	-	-	-	-	-	-	-	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	*	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	*	*	-	-	-	-	*	*
	4	-	*	-	*	-	-	-	*	-	-	-	-	-	*	*
	5	-	*	-	*	-	-	-	*	-	-	-	-	-	*	*
	6	-	*	-	*	-	-	-	*	-	-	-	-	-	*	*
	7	-	*	-	*	-	-	-	*	-	-	-	-	-	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/2	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		0.1	0.8	3.2	5.4	8.7	12.3	16.1	23.3	20.5	7.9	1.5	*	*	*	100.0
EXTRANEous MATTER															Average Staple	33.3
															Percent Tenderable	51.7
Bark - Level 1		3.8														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

128,593 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	0.2	0.2	0.1	-	-	-	-	0.6
31	1-2	-	-	-	*	*	*	*	0.2	0.6	0.6	0.1	-	-	-	1.6
	3	-	-	*	*	0.1	0.3	0.9	3.0	4.3	1.5	0.1	*	-	-	10.2
	4	-	-	*	*	0.1	0.2	0.4	0.7	0.3	*	*	*	-	-	1.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	0.1	0.4	1.3	4.0	5.6	2.0	0.2	*	*	*	13.7
41	1-2	-	-	*	*	*	0.2	0.6	0.8	0.4	0.1	*	*	-	-	2.1
	3	-	-	*	*	0.3	1.8	6.4	11.3	8.2	2.0	0.2	*	-	-	30.2
	4	-	-	*	*	0.1	1.0	3.4	6.6	5.6	1.4	0.1	*	-	-	18.3
	5	-	-	*	*	0.1	0.2	0.5	0.6	0.2	*	*	*	-	-	1.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	0.5	3.1	10.6	19.3	14.8	3.7	0.3	*	*	*	52.3
51	1-2	-	-	*	*	*	*	0.1	*	*	*	*	*	-	-	0.2
	3	-	-	*	*	0.2	1.0	1.7	1.4	0.5	0.1	*	-	-	-	4.9
	4	-	-	*	*	0.2	0.9	1.7	1.6	0.7	0.1	*	-	-	-	5.2
	5	-	-	*	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	0.5	2.2	4.2	3.7	1.6	0.3	*	*	*	*	12.5
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.8
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	0.2	0.9	1.5	1.5	0.7	0.1	*	*	*	*	5.0
	4	-	-	*	*	0.2	0.9	2.1	2.3	1.2	0.3	*	*	*	*	6.8
	5	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	*	*	*	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.4	1.9	3.9	4.2	2.1	0.5	*	*	*	*	13.0
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	0.2	0.6	0.7	0.4	0.1	*	*	*	*	*	2.0
	4	-	-	*	*	0.2	0.8	1.2	0.8	0.3	0.1	*	*	*	*	3.3
	5	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	*	*	0.4	1.6	2.4	1.5	0.5	0.1	*	*	*	*	6.5

* Less than 0.05 percent.

Table 15. -- South Carolina: Continued.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	-	0.1	2.0	9.5	22.7	33.2	25.1	6.7	0.6	-	-	100.0	
EXTRANEous MATTER																
Bark - Level 1														Average Staple	33.9	
Bark - Level 2														Percent Tenderable	52.8	
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

258,493: Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	1.1	5.1	8.6	7.5	3.7	1.2	0.2	-	-	-	27.5
	3	-	-	-	-	0.2	1.1	2.5	2.7	1.7	0.6	0.1	-	-	-	8.9
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	1.2	6.3	11.2	10.4	5.6	1.8	0.3	-	-	-	36.9
31	1-2	-	-	-	-	0.2	1.3	2.8	3.0	1.8	0.6	0.1	-	-	-	9.8
	3	-	-	-	-	0.2	1.7	4.5	6.0	4.2	1.5	0.3	-	-	-	18.4
	4	-	-	-	-	*	0.2	0.9	1.6	1.5	0.6	0.1	*	-	-	5.0
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	0.4	3.2	8.3	10.8	7.6	2.8	0.6	-	-	-	33.8
41	1-2	-	-	-	-	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.7
	3	-	-	-	-	*	0.7	2.3	3.2	2.0	0.6	0.1	*	-	-	9.0
	4	-	-	-	-	*	0.2	1.0	1.9	1.6	0.7	0.2	*	-	-	5.6
	5	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	0.1	1.2	3.9	6.0	4.2	1.6	0.3	-	-	-	17.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.4	0.6	0.3	0.1	-	-	-	-	1.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.3	0.5	0.3	0.1	*	*	-	-	1.4
32	1-2	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	0.2	0.6	0.6	0.3	0.1	*	*	-	-	1.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.4	1.0	1.0	0.6	0.2	*	*	-	-	3.3
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	0.2	0.6	0.8	0.4	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.4	1.2	1.6	0.9	0.2	*	*	-	-	4.4
52	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	0.9

* Less than 0.05 percent.

Table 16. -- Tennessee: Continued.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL						1.9	12.0	26.9	31.3	19.6	6.8	1.4	0.1			100.0
EXTRANEIOUS MATTER															Average Staple	33.8
Bark - Level 1		0.2													Percent Tenderable	39.2
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

573,783 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	Pct.															41.2
	1-2	*	*	0.3	1.2	3.6	8.2	12.4	10.0	4.2	1.0	0.2	*	*	*	16.1
	3	*	*	0.2	0.6	1.6	3.4	4.9	3.6	1.4	0.4	0.1	*	*	*	2.5
	4	*	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	0.1	0.5	2.0	5.6	12.2	18.0	14.2	5.8	1.4	0.3	*	*	60.1
31	Pct.															3.8
	1-2	*	*	*	*	0.1	0.3	0.6	1.1	1.1	0.5	0.1	*	*	*	9.7
	3	*	*	*	*	0.1	0.3	0.8	1.5	2.4	2.7	1.5	0.4	0.1	*	5.0
	4	*	*	*	*	0.2	0.6	1.1	1.3	1.0	0.5	0.2	*	*	*	1.4
	5	*	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	*	0.3
	6	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	0.2	0.7	1.9	3.7	5.2	5.1	2.7	0.6	0.1	*	20.3
41	Pct.															0.5
	1-2	*	*	*	*	*	*	0.1	0.2	0.2	*	*	*	*	*	2.5
	3	*	*	*	*	*	*	0.2	0.6	1.0	0.5	0.1	*	*	*	1.5
	4	*	*	*	*	*	*	0.1	0.1	0.3	0.5	0.3	0.1	*	*	0.4
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	0.2	0.6	1.3	1.8	0.9	0.2	*	*	5.0
51	Pct.															*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	4	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
61	Pct.															*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	Pct.															*
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	Pct.															2.8
	1-2	*	*	*	*	0.1	0.3	0.6	0.8	0.7	0.3	*	*	*	*	2.2
	3	*	*	*	*	0.1	0.2	0.4	0.6	0.6	0.3	0.1	*	*	*	0.5
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	0.1	0.2	0.6	1.1	1.5	1.3	0.6	0.1	*	*	5.6
32	Pct.															0.4
	1-2	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	1.9
	3	*	*	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	*	1.1
	4	*	*	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	0.3
	5	*	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	0.1	0.3	0.5	0.7	1.1	0.8	0.2	*	*	*	3.8
42	Pct.															0.1
	1-2	*	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	1.0
	3	*	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9
	4	*	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	0.2	0.4	0.8	0.5	0.2	*	*	*	2.2
52	Pct.															0.2
	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.5

* Less than 0.05 percent.

Table 17. -- Texas: Continued.

QUALITY	LEAF	STAPLE														
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	*	-	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
25-35	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/2	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	0.1	0.8	3.1	8.8	18.5	28.1	25.4	11.7	2.8	0.6	*	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1																Average Staple 33.1
Bark - Level 2																Percent Tenderable 52.1
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

4,625,292 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through December 29, 1999

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.5
31	1-2	-	-	-	-	-	*	0.1	0.3	0.4	0.1	*	-	-	-	0.9
	3	-	-	-	-	-	*	0.1	1.2	6.0	11.9	7.2	1.5	*	-	28.0
	4	-	-	-	-	-	*	0.2	1.6	4.6	3.6	1.0	*	-	-	11.0
	5	-	-	-	-	-	*	*	*	0.2	0.1	0.1	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	-	0.2	1.5	7.9	17.1	11.2	2.5	*	-	-	40.4
41	1-2	-	-	-	-	-	*	0.2	0.4	0.3	0.1	*	-	-	-	0.9
	3	-	-	-	-	-	*	0.2	2.1	9.0	12.5	6.1	0.9	*	-	30.9
	4	-	-	-	-	-	*	0.1	0.7	4.3	9.5	6.5	1.5	*	-	22.4
	5	-	-	-	-	-	*	*	*	0.2	0.6	0.5	0.2	*	-	1.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	-	0.3	3.0	13.8	22.9	13.2	2.6	*	-	-	55.8
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	-	0.1	0.1	*	*	*	*	*	*	-	0.3
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.5
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.5
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	*	-	1.1
42	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	*	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	0.1	0.4	0.7	0.4	0.1	*	*	1.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 18. -- Virginia: Continued.

QUALITY	LEAF	STAPLE														TOTAL Pct.
		26 - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEous MATTER		-	-	-	-	-	-	0.5	4.8	22.6	41.5	25.3	5.3	-	-	100.0
Bark - Level 1		0.8													Average Staple	35.0
Bark - Level 2		*													Percent Tenderable	84.1
Grass - Level 1		1.7														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

132,744 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 29, 1999

MIKE AND FIBER STRENGTH		ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE	24 & below	.	*	*	*	*	*	*	*	*
	25	*	*	*	*	*	*	*	*	*
	26	*	*	*	*	*	*	*	*	*
	27	*	*	*	0.1	*	*	*	*	*
	28	0.1	0.1	*	0.1	*	*	*	*	*
	29	0.1	0.1	*	0.2	*	0.1	*	*	*
	30	0.2	0.1	*	0.3	*	0.1	*	*	0.1
	31	0.4	0.1	0.1	0.4	*	0.1	*	0.1	0.1
	32	0.6	0.2	0.1	0.6	*	0.2	*	0.1	0.1
	33	1.1	0.2	0.1	0.9	0.1	0.2	0.1	0.2	0.2
	34	1.3	0.2	0.2	1.2	0.1	0.3	0.1	0.3	0.2
	35	1.9	0.3	0.3	3.1	0.2	0.5	0.2	0.7	0.5
	36	2.1	0.4	0.4	4.9	0.3	0.6	0.4	1.0	0.7
	37	2.6	0.5	0.5	7.0	0.4	0.8	0.5	1.3	0.9
	38	3.6	0.7	0.8	9.3	0.7	1.0	1.0	1.9	1.2
	39	3.6	1.0	1.2	11.1	0.8	1.4	1.3	2.7	1.9
	40	4.5	1.3	1.8	12.4	1.3	2.0	2.1	3.6	2.5
	41	4.9	1.8	2.4	12.3	1.9	2.8	3.0	4.7	3.5
	42	5.7	2.4	3.5	10.3	2.7	4.0	4.4	5.8	4.6
	43	7.0	3.2	4.7	7.3	4.0	5.5	5.9	7.1	5.8
	44	7.4	4.0	6.2	5.0	5.1	7.3	7.0	8.2	6.8
	45	8.0	5.0	7.7	3.5	7.0	9.2	8.2	9.1	7.7
	46	8.7	6.2	9.1	2.3	10.0	10.9	9.6	9.6	8.7
	47	8.8	7.7	10.5	1.8	12.2	12.0	10.7	9.8	9.0
	48	8.6	9.5	11.2	1.5	14.4	11.9	11.3	9.3	9.1
	49	6.7	11.0	11.0	1.2	13.0	10.3	10.1	8.1	8.7
	50	4.8	11.6	9.8	0.8	10.1	8.0	8.4	6.3	7.7
	51	3.5	10.7	7.7	0.8	7.4	5.3	6.6	4.6	6.8
	52	2.0	8.7	5.6	0.6	4.7	3.1	4.6	3.3	5.4
	53	1.1	6.0	2.8	0.4	2.4	1.7	2.9	1.0	3.9
	54	0.6	3.8	1.6	0.3	1.1	0.4	1.3	0.5	2.6
	55	*	2.2	0.5	0.2	0.1	0.2	0.4	0.2	0.7
	56	*	0.7	0.1	0.1	*	0.1	-	*	0.4
	57	*	0.2	*	*	*	*	*	*	-
	58	*	*	-	*	*	*	*	*	-
	59	*	-	*	-	*	*	*	*	-
	60 & above	*	-	-	-	*	-	-	-	-
Average mike		44.2	48.3	47.1	40.6	47.3	46.3	46.8	45.4	46.6
FIBER STRENGTH 1/										
17 & below		*	-	-	-	*	-	-	-	-
	18	*	*	-	-	-	-	-	-	-
	19	*	*	-	*	*	*	-	*	-
	20	*	*	*	*	*	*	-	*	-
	21	*	*	*	*	*	*	*	*	-
	22	0.1	0.2	*	*	*	0.1	*	*	-
	23	0.3	1.1	0.1	*	0.1	0.4	0.3	0.3	*
	24	2.0	3.4	0.4	0.1	0.9	2.5	1.5	1.4	0.3
	25	7.2	8.4	1.6	0.4	3.4	5.7	5.4	4.3	1.5
	26	15.9	16.0	5.1	1.3	9.3	10.6	13.5	11.1	5.1
	27	23.2	21.7	13.5	3.2	20.5	15.9	22.6	20.9	13.7
	28	22.4	21.7	25.0	5.3	28.0	18.3	24.2	25.7	24.9
	29	15.8	15.5	26.7	6.8	21.5	17.5	17.1	19.8	26.4
	30	8.5	7.8	16.3	8.9	10.6	13.6	8.8	10.2	15.6
	31	3.5	3.0	7.1	15.0	4.1	8.6	3.8	4.1	7.1
	32	0.9	0.9	2.9	22.5	1.1	4.3	1.7	1.6	3.6
	33	0.1	0.2	0.9	20.7	0.2	1.8	0.8	0.5	1.3
	34	*	*	0.2	10.5	0.1	0.5	0.2	0.1	0.3
	35	*	*	0.1	3.7	*	*	0.1	*	0.1
	36 & above	*	*	*	1.7	*	*	*	*	-
Average strength		27.6	27.4	28.7	31.6	28.1	28.3	27.9	28.0	28.7

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- continued.

MIKE AND FIBER STRENGTH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	0.3	*	0.1	*	-	0.1	-	*
25	0.3	*	*	*	-	0.1	-	*
26	0.5	*	0.1	*	-	0.2	*	0.1
27	0.7	0.1	0.1	*	*	0.2	*	0.1
28	0.9	0.1	0.2	*	*	0.4	0.1	0.1
29	1.4	0.2	0.2	0.1	*	0.4	0.2	0.2
30	1.8	0.5	0.5	0.1	*	0.6	0.4	0.3
31	2.6	0.7	0.5	0.1	0.1	0.8	0.8	0.4
32	3.6	1.1	0.6	0.1	0.1	1.0	1.6	0.6
33	3.9	1.6	0.7	0.2	0.2	1.4	2.7	0.8
34	4.9	1.8	0.9	0.2	0.2	1.7	3.4	0.9
35	5.3	3.9	1.4	0.4	0.5	2.4	7.5	1.6
36	6.5	4.4	1.6	0.5	0.5	2.9	8.2	2.1
37	6.9	5.4	2.0	0.7	0.6	3.5	9.2	2.7
38	7.2	6.4	2.6	0.9	0.8	4.3	9.4	3.4
39	7.9	7.1	3.1	1.2	1.0	5.0	9.5	4.0
40	7.7	7.8	3.9	1.7	1.3	5.8	8.8	4.8
41	6.7	8.0	5.1	2.4	1.6	6.6	7.8	5.4
42	6.2	7.9	6.1	3.2	2.2	7.3	6.6	6.0
43	5.7	7.3	6.7	4.2	2.7	7.9	5.4	6.5
44	5.0	6.6	7.2	5.5	3.5	8.1	4.4	6.9
45	4.3	5.9	8.0	7.3	4.3	8.2	3.7	7.4
46	3.4	5.2	8.3	9.1	5.3	7.7	3.0	7.7
47	2.3	4.4	8.5	10.5	6.5	6.7	2.3	7.8
48	1.6	3.7	8.1	11.4	7.6	5.5	1.7	7.5
49	1.0	3.1	7.7	10.9	8.9	4.2	1.1	6.6
50	0.6	2.5	5.7	10.5	9.9	3.0	0.8	5.5
51	0.3	1.7	4.5	7.3	10.3	2.0	0.5	4.2
52	0.2	1.4	3.3	6.3	10.1	1.2	0.3	3.0
53	0.1	0.5	1.1	2.6	9.0	0.4	0.2	1.7
54	0.1	0.4	0.8	1.7	8.2	0.2	0.1	1.0
55	0.1	0.2	0.3	0.7	2.8	0.1	0.1	0.4
56	*	0.1	0.1	0.2	2.0	*	0.1	0.2
57	*	*	-	0.1	-	*	*	*
58	-	*	-	*	-	*	*	*
59	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	*
Average mike	38.8	41.8	44.6	47.2	48.9	42.6	39.6	44.4
FIBER STRENGTH 1/ 17 & below	-	-	-	-	-	*	-	*
18	-	-	-	-	-	*	-	*
19	*	-	*	-	-	*	-	*
20	*	-	*	-	-	*	-	*
21	*	*	*	*	-	0.1	-	*
22	0.2	*	0.2	-	-	0.3	*	0.1
23	0.7	*	0.8	-	0.1	1.4	-	0.6
24	1.8	0.4	2.2	0.1	0.6	4.3	0.2	2.1
25	3.8	4.9	5.4	1.7	2.5	10.0	3.5	5.7
26	7.0	16.4	11.0	7.3	7.4	15.4	15.2	11.3
27	10.6	24.5	18.2	16.0	16.7	17.9	26.6	17.0
28	16.3	22.4	20.3	23.0	25.5	19.1	24.8	20.2
29	16.9	14.9	18.2	22.8	23.7	16.7	15.1	17.6
30	16.0	9.3	13.6	16.1	14.2	9.5	8.3	10.9
31	13.1	5.2	6.7	9.0	6.2	3.8	4.5	6.1
32	8.7	1.8	2.4	3.3	2.3	1.2	1.5	4.0
33	3.7	0.2	0.5	0.5	0.6	0.3	0.2	2.6
34	0.9	0.1	0.2	0.2	0.1	0.1	*	1.2
35	0.1	*	0.1	*	*	*	*	0.4
36 & above	0.1	-	*	-	-	*	-	0.2
Average strength	29.0	27.8	28.1	28.6	28.4	27.6	27.8	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through December 29, 1999

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/ 72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	*	*	-	*	*	*	*	*	-
76	*	*	-	*	*	*	*	*	-
77	0.5	0.2	*	*	0.1	0.2	0.1	*	*
78	3.0	1.3	0.1	0.1	0.8	1.8	1.0	0.4	0.1
79	10.7	5.7	1.0	0.6	3.7	8.3	5.2	3.1	0.9
80	23.9	20.2	5.3	3.9	12.3	20.9	17.1	13.4	6.1
81	31.5	37.2	20.8	13.8	27.3	33.1	31.0	30.6	25.0
82	21.9	26.6	41.3	31.6	34.0	26.4	28.6	33.3	43.3
83	7.4	7.6	26.9	36.0	18.2	8.3	13.6	16.2	21.2
84	1.1	1.0	4.5	12.3	3.5	1.0	3.2	2.8	3.4
85	*	0.1	0.2	1.6	0.1	*	0.3	0.1	0.1
86	*	*	*	0.1	*	*	*	*	*
87	*	*	-	*	-	*	*	*	-
88	-	*	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.8	81.1	82.0	82.4	81.6	81.0	81.4	81.5	81.9
TRASH 2/									
00	*	0.1	*	0.1	*	*	0.2	*	*
01	6.0	59.7	4.8	33.9	2.7	0.6	10.6	8.2	14.8
02	20.4	31.1	23.5	42.1	13.3	9.4	24.8	26.8	35.8
03	25.4	6.1	27.2	16.4	23.2	23.4	24.3	26.5	23.1
04	20.3	1.6	19.5	5.0	22.4	26.3	17.2	17.7	11.8
05	13.1	0.6	11.5	1.5	15.9	19.4	10.4	10.0	6.4
06	7.4	0.3	6.1	0.5	10.1	10.9	5.7	5.0	3.6
07	4.1	0.2	3.3	0.2	6.0	5.4	3.0	2.6	2.0
08	1.6	0.1	1.7	*	3.2	2.5	1.7	1.4	1.1
09	1.0	*	1.0	*	1.9	1.2	1.0	0.7	0.6
10	0.3	*	0.5	*	0.7	0.6	0.5	0.4	0.3
11	0.2	*	0.3	*	0.4	0.1	0.3	0.2	0.2
12	0.1	*	0.2	*	0.2	0.1	0.2	0.2	0.1
13	*	*	0.1	*	*	*	*	0.1	0.1
14	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*	*	*
Average trash	0.37	0.15	0.37	0.20	0.43	0.44	0.34	0.34	0.29

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- continued.

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-
74	-	-	-	-	*	-	-	*
75	-	-	*	-	-	*	-	*
76	0.1	-	0.1	-	-	0.1	-	*
77	0.7	*	0.5	*	*	0.5	-	0.2
78	3.4	0.1	2.8	0.2	0.3	2.4	*	1.3
79	11.5	3.5	9.5	4.8	2.1	8.7	1.4	5.4
80	17.4	19.3	19.9	22.8	9.6	20.8	11.0	15.8
81	21.9	40.0	30.3	39.9	28.1	32.6	32.8	29.5
82	24.4	29.6	26.9	25.9	38.0	25.8	38.3	30.0
83	15.2	7.0	9.1	5.9	18.9	8.2	14.8	14.6
84	4.9	0.5	0.9	0.5	3.0	0.9	1.6	2.9
85	0.6	*	*	*	0.1	*	*	0.2
86	*	-	-	-	*	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	*	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.2	81.2	81.0	81.1	81.7	81.0	81.6	81.4
TRASH 2/								
00	0.3	*	*	*	*	*	*	*
01	46.3	1.1	27.2	1.8	11.2	22.4	0.9	15.9
02	29.1	15.3	32.5	15.4	32.2	34.4	13.3	27.9
03	14.1	30.9	16.7	27.2	25.3	22.0	31.2	23.0
04	6.4	25.8	8.6	23.9	15.1	10.9	27.6	15.2
05	2.3	14.3	5.2	15.2	8.0	5.1	15.3	8.7
06	0.9	6.6	3.2	8.3	3.9	2.4	6.6	4.5
07	0.4	3.0	2.0	4.1	2.0	1.2	2.8	2.3
08	0.1	1.4	1.4	2.0	1.0	0.6	1.2	1.1
09	0.1	0.7	1.0	1.0	0.6	0.4	0.6	0.6
10	*	0.4	0.7	0.6	0.3	0.2	0.3	0.3
11	*	0.2	0.5	0.3	0.2	0.1	0.1	0.2
12	*	0.1	0.4	0.2	0.1	0.1	0.1	0.1
13	*	*	0.1	*	0.1	*	*	*
14	-	*	0.1	*	*	*	*	*
15	-	*	0.1	*	*	*	*	*
16	-	*	0.1	-	*	*	-	*
17	-	*	0.1	-	*	*	-	*
18 & above	-	*	0.2	-	*	*	-	*
Average trash	0.19	0.39	0.28	0.40	0.31	0.26	0.39	0.31

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of grade, staple, mike and strength of American Pima cotton, by state and U.S. for classings through December 29, 1999

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	29.9	24.2	14.0	19.4	23.9
02	54.7	69.0	76.1	71.1	68.8
03	13.1	6.5	9.6	9.2	6.9
04	1.2	0.3	0.3	0.3	0.3
05	0.8	*	-	*	*
06	0.4	*	-	-	*
07	*	*	-	-	*
Staple					
40 and shorter	*	-	-	*	*
42	1.1	*	1.7	1.7	0.2
44	36.4	10.6	39.3	63.3	15.7
46	54.6	65.4	50.9	33.9	62.5
48 and longer	7.8	24.0	8.2	1.1	21.6
Average staple	45.4	46.3	45.3	44.7	45.6
Mike					
24 and below	*	*	-	-	*
25-26	*	0.1	-	*	0.1
27-29	0.2	0.7	0.7	0.4	0.7
30-32	1.2	5.0	2.6	1.7	4.6
33-34	1.9	7.8	4.0	1.3	7.1
35-36	5.8	17.8	7.3	2.1	16.2
37-42	72.9	62.7	45.1	43.5	61.3
43-49	18.0	3.8	40.2	51.0	10.0
50-52	-	-	0.1	*	*
53 and above	-	-	-	-	-
Average mike	40	38	41	42	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	*	*	-	*	*
31	0.2	*	-	0.1	*
32	0.2	*	0.2	0.2	0.1
33	0.4	0.1	0.8	0.4	0.1
34	1.0	0.3	2.0	1.0	0.4
35	1.7	1.1	5.7	2.7	1.3
36	3.7	2.6	11.2	6.1	3.0
37	7.3	6.2	15.6	14.5	7.0
38	13.3	11.6	17.1	26.2	12.8
39	20.1	17.4	15.7	24.1	18.0
40	22.0	20.3	11.9	13.1	19.7
41	17.7	18.3	9.3	7.2	17.4
42	8.3	12.1	5.6	3.1	11.2
43	2.9	6.5	4.3	1.0	6.0
44	0.1	2.6	2.3	*	*
45 & above	-	0.1	0.8	-	*
Average strength	39.5	40.0	38.5	38.5	39.3
Extraneous matter					
Grass	1.8	0.5	1.5	1.0	0.6
Spindle Twist	0.1	0.1	0.1	*	0.1
Preparation	*	1.6	*	*	1.4

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona	12,365
California	405,047
New Mexico	5,446
Texas	34,961
United States	457,819

